RG-WALL 1600-X8500

V1.4

3w4@ @

©2013

RGOS®

RGNOS®

1

RG-WALL 1600-X8500 20Gbps
8 SFP RJ 45
RG-WALL 1600-X8500 128G WAN

RG-WALL 1600-X8500

1.1 RG-WALL 1600-X8500

	RG-WALL 1600-X8500
	0 to 40°C

RG-WALL 1600-X8500 1-2

2

2.1

RG-WALL 1600-X8500

2.1.1

2.1.2

2.1.3

2.1.4

RG-WALL 1600-X8500

RG-WALL 1600-X8500

2.2.3

RG-WALL 1600-X8500

RG-WALL 1600-X8500

0ºC-40ºC	20%-90%

1.5M 0.4M

2.2.4

/	0.5	1	3	5

2.2.7 EMI

&õL$l•rËOFÅñ'ù Cq 7- ¢ Ú í Ä
&¯Ò>õ¤¼

3.3

5mm

1.5cm

1)

2)

3)

4)

IEC60297 19 RU Rack Unit
1RU=44.45mm(1.75inch) 1RU 3-1

RG-WALL 1600-X8500 RU U

3-1



U

RG-WALL 1600-X8500 RG-WALL 1600-X8500

I ¿ 6 •

RG-WALL 1600-X8500

10mm

1) RJ45
RJ45

2) ,

3) RJ45

4)

3) 3-7

SFP+/SFP

SFP+/SFP

SFP+

SFP+ SFP+ SFP+

1)

2) SFP+

3) SFP+ SFP+

SFP+ 8

3.10

SFP+/SFP

SFP+/SFP

1.

2. SFP+/SFP

3.

4.

5.

SFP+/SFP

SFP+

SFP+

1)

2) SFP+ SFP+
SFP+

SFP+ 8

4

4.1

PC Console .

1) DB-9 PC

2) RJ45 Console

PC PC Windows3.1 Terminal Windows 95/98/NT/2000/XP

9600 8 1

1) - - - - 4-2

4-1

2) 4-3

4-2

3) < > 4-4

4-3

5) < > 4-6



PC Console Console

USB PC SecureCRT

Console USB Console Console USB PC
USB

PC COM LPT COM
4-7

9600 8 1

1) ile - Connect Connect

-


Flow Control
DTR/DSR
8
None
1
< 上一步(B)
下一步(N) >
取消

4-9

< > 4-10


New Session Wizard
The wizard is now ready to create the new session for you.
Session name:
Serial-COM5
Description:
< 上一步(B)
完成
取消

4-10

< > 4-11

4-11

4.1

PC

5

5.1

RG-WALL 1600-X8500

5-1 RG-WALL 1600-X8500

#	**LED**		
1	STATUS		
2	ALARM		
3	POWER		
4	HA		HA
			HA
			HA
5			
			/
5			1Gbp
			100Mbp

5.2

3

4

5 **link**

link

A

A 4

B

RG-WALL 1600-X8500 19

5

7

7 10

D-2



D-3

D-3



220V -48V

D-4

D-4