







www.rufje.com

www.rufje.com



<http://192.168.1.1>
(admin)

WEB




360极速浏览器！若PC为Window
浏览器的信任站点中加入被访问IP地


推荐使用Firefox, IE10+;
Server操作系统, 请在IE
址。


Ruijie



www.ruijie.com.cn


















```

Ruijie#show interfaces gigabitEthernet 0/0
Index(dec):2 (hex):2
GigabitEthernet 0/0 is UP , line protocol is UP
Hardware is OCTEN GE CONTROLLER GigabitEthernet, address is 001a.a93d.b84f (bia 001a.a93d.b84f)
Interface address is: no ip address
ARP type: ARPA, ARP Timeout: 3600 seconds
  MTU 1500 bytes, BW 1000000 Kbit
  Encapsulation protocol is Ethernet II, loopback not set
  Keepalive interval is 10 sec, set
  Carrier delay is 2 sec
  Rxload is 1/255, Txload is 1/255
  Queueing strategy: FIFO
  Output queue: 0/40, 0 drops;
  Input queue: 0/75, 0 drops
  Link Mode: 100M/Full-Duplex, media-type is twisted-pair.
  Output flowcontrol is off, Input flowcontrol is off.
  Input rate 496 bits/sec, 0 packets/sec
  Output rate 13 bits/sec, 0 packets/sec
  Input, 40593 bytes, 0 no buffer, 0 dropped
  0 broadcasts, 0 runts, 0 giants
  0 errors, 0 CRC, 0 frame, 0 overrun, 0 abort
  0 input errors, 0 dropped packets, 0 discarded packets

```

将日志



累
本次开机运行

后面的

的



www.rufje.com

www.rufje.com











www.rufje.com

www.rufje.com


www.rufje.com

www.rufje.com

www.rufje.com

www.rufje.com

www.rufje.com











www.rufje.com

www.rufje.com



快速配置

+ 网络设置

+ 路由设置

+ 虚拟专网

+ 证书管理

+ AAA

+ 安全管理

软件升级

升级进度：0%

状态信息：升级文件为：rgos.bin

版本信息

硬件版本：1.00

软件版本：RGOS 10.4(3b75) Release(208720) (备份bin包)

设备名称

系统时间

开始升级

软件升级

注意事项：

1.可升级系统固件 (*.bin)，文件上传完成后，必须重启设备才能生效。

2.可升级WIFI包 (*.bin)，文件上传完成后，按CTM+R键刷新。





