






```
WS18000-1811#show ac-config client in mu
===== show sta status =====
AP      : ap name/radio id
State   : Speed/Power Save/Work Mode/Ermine State/MU-MIMO, E-Enable power save, P-Disable power save
TotalStaNum: 39
STA MAC      IPV4 Address  AP      wlan wlan status  Asso-Auth  Net Auth  Up time
F48b.32a3.04e3  temp/2          6   1731   9.0M/E/ac/R/mu  MAB        WEB        0:20:37:33
WS18000-1811#
```

第三频

online AP number: 33
offline AP number: 156

Line	Up/Off time	State	AP Name	IP Address	Mac Address	Radio	Radio
1	0:00:00	UP	WS18000-1811	192.168.1.1	08:00:20:08:00:08	2	2

```
WS18000-1811#show ac-config client in mu
```

```
===== show sta status =====
```

```
AP      : ap name/radio id
```

```
State   : Speed/Power Save/Work Mode/Ermine State/MU-MIMO, E-Enable power save, P-Disable power save
```

STA MAC	IPV4 Address	AP	wlan wlan status	Asso-Auth	Net Auth	Up time
F48b.32a3.04e3	temp/2	6	1731 9.0M/E/ac/R/mu	MAB	WEB	0:20:37:33

终端



