

RG-AP680-AR



RG-AP680

RG-AP680-AR

RG-AP680-AR

RG-AP680



1.

2.

3.

4.



AP

11ax

AP

PIS

PIS

IP68


RG-AP680-AR

Wi-Fi



400
5000
(1000~2000
AP
Ap
Ap 150
AP PoE
15

PIS





1.


2.



3.

4.


RG-AP680-AR 802.11ax 802.11ac Wave2 802.11ac Wave1 802.11n
11.617Gbps

RG-WIS






1		M16
2	LAN1/HPoE	IEEE802.3af 802.3at802.3btPoE
3	LAN2/IoT	
4	LAN3/SFP+	10G
5	LAN4/SFP+	10G
6	Console	Console
7		IP68
8		
9	5G	5G
10	2.4G	2.4G
11	5G	5G
12		



80-140mm




+



PG

RG-Cab-NJx8-3m

	RG-Cab-NJx8-3m
×	20mm×3034mm
	N-J
	LMR400 L=3000MM
	-20 ~90
Hz	0~6G
	1.5




RG-Cab-NJx8-3m

8

RG-ANT-GP-N4M

	RG-ANT-GP-N4M
×	82.6mm×242.6mm
	N





block

WAN

block

AP680-AR

WAN

block

wan-priority prio *Prio*

WAN

1~64

disable



AP

AP

AP

AP config

write

AP

AP AC

exec-cmd

AP680-AR

11ax

Radio2

5.8G

5G

AP680-AR

radio2 5.8G

5G



1.

2.

3.

4.



POE-OUT

Radio3

AC

RG-PL-M16-3M

802.3bt

AC

RG-PL-M16-3M

802.3bt

int dot 3/0

802.11a





1.

2.

3.

4.


RG-AP680-AR

2.4G 200m(5G 200m)

/

2.4G 100m(5G 100m)

3-5





- (

/

3-5

80-140mm

AP

802.3af

AP

30cm

AP680-AR

6KV

AP

AP630

AP630

<http://www.ruijie.com.cn/fw/zxpx/590>

https://mp.weixin.qq.com/s/Lb65R_rxAZjpEaLUiT7oJA



AP

AP

AP

AP

AP

AP

；



:

OT

OT

25

:

(1)

(1) 2.7±0.2mm LC-LC

2.5mm~3.5mm

(2)

(3) B

C D

B E




(4)

(1) AC

RG-PL-M16-3M

(2)

L/N/PE



PPT

THANKS

29

100036

Office Tel: 010-51715999

Fax: 010-51413399

4008-111-000

www.ruijie.com.cn



A 11

