

— Ô%• | Â Ž ò

• $\tilde{N} f$

copyright ©

ø W

~À*Š



1 C | O ”

POF

+

24DUP1DB48LC

24

RG-48DUP2DB96LC



RG-
48

1.1 - Ô%• | Â Ž ò


P á ? d

C ¹ Y	RG-24DUP1DB48LC	RG-48DUP2DB96LC
V € ° Ê t ...	0°C 45°C	
¤ ° Ê t ...	-40°C 70°C	
V € ° Ê y ...	10% 90% RH	
¤ ° Ê y ...	5% 95% RH	
=) c x x ³ d c \$ x u m m d	442*330*80	
c \$ x u k g d	7.5	8.5

RG-24DUP1DB48LC C | Ø O



RG-48DUP2DB96LC C | Ø O




Ã µ ç ¢



48

RG-24DUP1DB48LC

24



2 G ø é Ô Ô

2.1 µ4ì Ž `





2.1.1 G μ

2.2.2 t ... x y ... L -

1

2

3

° Ê t ...	ü * y ...
0 to 45°C	10%-90%

2.2.3 M Ó ... L -

Cf 7	\$ x	l
------	------	---

EMI EMI

EMI

3 46349.163

1) G ø \

- (1)
- (2)
- (3) 45mm 90mm

2) G c o \$

RG-24DUP1DB48LCxu

¢ j c 5	d
---------	---

1



RG-24DUP1DB48LC

RG-48DUP2DB96LC

☎ 3-1 RG-24DUP1DB48LC] G Q — 7 ☎



(2)

3.4 G d ó Ó



1) / 2

2)

3)