

î c â • ° 2.0

• g INC-EMB h • • ¾) Đ †

iH à ì aÄ',[
Í Ó ñ Ä • Ó • o

+ » y XXX	+ » y XXX k XXX
Ú Ê K y ™ ß k ^O6Û	p K y XXX

Ú ò ™ Ê y 2023.1.3


î c 9 2010 v 03 Ã 16 ™ è y k R 7 +DXC@o•¾C@o• Wo• o•đªD^g Ĩ '

ò k 2022 vµ ¢ > c gª•h 500 #%ožĬ)¾) ĭ f G ¶ 8 Ê , à Ĭ••k }„

C â•° 2.0 • k¾) LIST _ 600 • «ož Ĭ)à Ĭ •• ¾)© XX ĭ â•°• c ĩ Û% Jª

¾) k¾) P# M Ý k¾) è +9 XX ĭ ¨ c g e Ò µ ¶ ° à Ĭ¾) Jª Ü ñ Ð Å• ož

2.1



£ 1 ¾)à Ĭ"÷

" ÷ T y

1o• p ¶ A E Ñ ... ¾)•Æ å RG-S7808C A E Ñ g Á• VSU h z

2o• p ¶ A E Ñ RG-S7808C û V RG-S6120 ° Z M ü A E Ñ 9 M ü _µ â ° A E Ñ RG-

SF2920 k 'š e è U ´ Å k M ü ñ p ¶ < F å € M ü ` z



3o• î) ¾) J INC O ò ~ INC-EMB



p ¶ C	RG-S7808C	Ä à p ¶ A E Ñ	HX g ĩ > h
	RG-S6120-L	Ä à M ü A E Ñ	HJ

M ü C



RG-SF2920-16GT2MG2XS	SF2920_RGOS11.4(1)B81P1	N/A
RG-SF2920U-8GT1MS-P	SF2920U_1.0(1)B2_09200423	N/A

3.2 IP

3.2.1 & Vlan



3.4

3.4.1

10•Î)¾)... INC ÍÎ INC-EMB k¢ùÍÎY” S7808C A E Ñø ,•m • è¥

”k èe” S7808C A E Ñ WEB ¼µ Û¼ªP ò y



£ 3 S7808C WEB ¼µ Û¼

20•p¶A E Ñ F å VLAN 1 • Û)'ò VLAN kVLAN 328 • 3”'ò VLAN kã ð VLAN

200VLAN 21 F å SVIª-k• 'òª-< à¼ª- k S7808C WEB ¼µ g ò F å y



£ 4 'òà<F å

F å èek S7808C A E Ñ k G VLAN 1 DHCPª-P F å y

```
ip dhcp pool vlan1
option E68scii http:// XXX.XX.XX.254:80/api/inc/cwmp/inform/ruijie_inc_acc_zcm
option 2258scii XXX.XX.XX.254:1883@ruijie_inc_acc_zcm
```

```

lease 0 0 30
network 172.16.9.0 255.255.255.0
default-router 172.16.9.254

```

1	VLAN	VLAN	SVI	WEB	SVI
	SVI	UP			
2		VLAN			

3.4.2

M ü RG-S6120-20XS4VS2QXS-L A E Ñ — Ô : F å K' è Â E * Å F å Ù Ñ Ñ % n , ¼ VLAN

/ U g VLAN 1o•VLAN 328 C Ć U VLAN hož

3.4.3

SF2920o•SF2920U y

1 hî) ¾) „ C â ° N µ — Œ ° Z RG-SF2920-8GT2MG2XS•RG-SF2920-8GT2MG2XS-PoRG-

SF2920U-8GT1MS-Po•RG-SF2920-16GT2MG2XS k { # + F å % Í € M g M h f O ã ð 8 y 16 z

2 h ã ð — å Telnet/SSH Ũ šo•SNMP Ũ šo•î^a Web Ũ š g U # H © Ĩ ó • Ũ š ê • • Ũ š h z

4 h v2

* 端口类型

Access

* VLAN ID

317

高级设置

MAC地址通告

☒ 开启

防环路

开启

风暴抑制开关

☐ 单播
☐ 多播
☐ 广播

端口隔离开关

☐ 开启

关闭

确定

£ 5 % Í F å

4.1

Î)¾) J å°A E Ñ ° Z SF2920 y SF2920U k ¿ SF2920U — Õ û Ô : k CS x³
 RGOS © Ĭ k • B / ' ò # ' J MQTT # ' g³ U © ç © CWMP # ' h knÿ C # ' Â 9 TCP k f Î
 % " K 9 G b / Æ f % ° ku 4 x No • ¶ é ' to • ž * ' ^ k # ' • % k + F ^ F å } L zož â ° 2.0
 2920U © ç A E Ñ © F å ¿ vi ò y

STEP 1 y â ° — Õ e k G DHCP ¬ L k R DHCP Server B H ñ %² o ¬ ' ò IP o - kw R • < DHCP
 Option 225 † ä MQTT Æ ~ª - g / 3.4.1 - — Õ G DHCP F å h k ¥ Option k ` k
 INC © F å ö œ ož

STEP 2 y â ° — Õ † ä MQTT Æ ~ IP e G Ü N ¬ L k w Æ f , ¼ Ê k Æ f è e INC €

broker k > N C Æ f è f îož

STEP 3 y â° — Ō* MQTT # 'g INC G Ü ċ Ñ L k ċ `k ĭ SN Ao•IP ^a - ^ ¼ p 'îož

STEP 4 y INC Æ ~ v ñ â° — Ō N Ñ L e k Ž U ċ g A ; k G F âož

STEP 5 y â° — Ō N v F â e 1 Mok Moe M • INC Æ ~ • y N w 4 Ò 't k 4 ž INC

k } L — Ō n F â † ^ g û à k * e ... ċ i è k 4 e â° — Ō ? 2 ã U k g INC G %²)

't †ož

4.2 /

â° N µ — Ō " MQTT Ñ L g³ U © ç © CWMP † h y 't ž LLDP 'î

g û M ü > D C € M 'î h INC Æ ~ ož

STEP 1 y ¢ — Ō G ÿ Á E ž k > — Ō û ċ N ñ • — Ō k • — Ō k v □ LLDP 'î k w 1 ¥ 'î *

MQTT † G Ě Æ ~ z

STEP 2 y v ñ A E Ñ † e k INC Æ ~ y ñ ñ Ñ M ü € M + M ü mac + — Ō SN 'î g ¥ ¾ J

• — Ō SN ho- Ç ¼ © G ÿ 4 J k 4 ž Æ ~ é • — Ō G ÿ Á E z

STEP 3 y • ÷ g Á E v i g h p y Æ ~ ¹ " £ Ñ } Ä > — Ō " £ h k • — Ō k c 5 > — Ō

F â k • — Ō ¹ " £ k 1 > — Ō ¹ " £ ~ \$ z

{ ž — Ō N Ä Ä € k 1 ċ û ċ # ß w N ñ • — Ō g • — Ō U Y © Ì ċ ¶ • —

Ō o • - U Y ©] ¹ — Ō h k " • — Ō Á E è e k 1 { ž — Ō Ä € • — Ō g ` p ³ ° M Ä €

h k € M F â Ü š \$ g z

STEP 1 y ™ o g k INC Æ ~ k J □ / " £ ¶ à â • ° A E Ñ 'î Ñ MAC ^a - + ñ K — Ō

+ ñ K € Mo- k w 1 ċ € M F â ¼ û z

STEP 2 y G ÿ — Ō Á E e k ¢] t " £ MAC ^a - ß è " • — Ō € M ž k INC Æ ~ k 1 ¥

