

î c â • ° 2.0

• g INC-EMB h • • ¾) Đ †

iH à ì aÄ',[
Í Ó ñ Ä • Ó • o

+ » y XXX	+ » y XXX k XXX
Ú Ê K y ™ ß k ^O6Û	p K y XXX

Ú ò ™ Ê y 2023.1.3


î c 9 2010 v 03 Ã 16 ™ è y k R 7 +DXC@o•¾C@o• Wo• o•đªD^g Ĩ '

ò k 2022 vµ ¢ >c gª•h 500 #%ožĬ)¾) ĩ f G ¶ 8 Ê , à ĩ••k }„

C â•° 2.0 • k¾) LIST _ 600 • «ož Ĭ)à ĩ •• ¾)© XX ĩ â•°• c ĩ Û% Jª

¾) k¾) P# M Ý k¾) è +9 XX ĩ ¨ c g e Ò µ ¶ ° à ĩ¾) Jª Ü ñ Ð Å• ož

2.1



£ 1 ¾)à ĩ"÷

" ÷ T y

1o• p ¶ A E Ñ ... ¾)•Æ å RG-S7808C A E Ñ g Á• VSU h z

2o• p ¶ A E Ñ RG-S7808C û V RG-S6120 ° Z M ü A E Ñ 9 M ü _µ â ° A E Ñ RG-

SF2920 k 'š e è U ´ Å k M ü ñ p ¶ < F å € M ü ` z



3o• î) ¾) J INC O ò ~ INC-EMB



p 1 C	RG-S7808C	Ä à p 1 A E Ñ	HX g i > h
	RG-S6120-L	Ä à M ü A E Ñ	HJ

M ü C



RG-SF2920-16GT2MG2XS	SF2920_RGOS11.4(1)B81P1	N/A
RG-SF2920U-8GT1MS-P	SF2920U_1.0(1)B2_09200423	N/A

3.2 IP

3.2.1 & Vlan



3.4

3.4.1

10•Î)¾)... INC ÍÎ INC-EMB k¢ùÍÎY” S7808C A E Ñø ,•m • è¥

”k èe” S7808C A E Ñ WEB ¼µ Û¼ªP ò y



£ 3 S7808C WEB ¼µ Û¼

20•p¶A E Ñ F å VLAN 1 • Û) ’ò VLAN kVLAN 328 • 3 ” ’ò VLAN k ã ð VLAN

200VLAN 21 F å SVIª-k• ’òª-< à¼ª- k S7808C WEB ¼µ g ò F å y



£ 4 ’òà<F å

F å èek S7808C A E Ñ k G VLAN 1 DHCPª-P F å y

```
ip dhcp pool vlan1
option E68scii http:// XXX.XX.XX.254:80/api/inc/cwmp/inform/ruijie_inc_acc_zcm
option 2258scii XXX.XX.XX.254:1883@ruijie_inc_acc_zcm
```

```

lease 0 0 30
network 172.16.9.0 255.255.255.0
default-router 172.16.9.254

```

1	VLAN	VLAN	SVI	WEB	SVI
	SVI	UP			
2		VLAN			

3.4.2

M ü RG-S6120-20XS4VS2QXS-L A E Ñ — Ô : F å K' è Â E * Å F å Ù Ñ Ñ % n , ¼ VLAN

/ U g VLAN 1o•VLAN 328 C ¿ U VLAN hož

3.4.3

SF2920o•SF2920U y

1 hî) ¾) „ C â ° N µ — Œ ° Z RG-SF2920-8GT2MG2XS•RG-SF2920-8GT2MG2XS-PoRG-

SF2920U-8GT1MS-Po•RG-SF2920-16GT2MG2XS k { # + F å % Í € M g M h f O ã ð 8 y 16 z

2 h ã ð — å Telnet/SSH Ũ šo•SNMP Ũ šo•î^a Web Ũ š g U # H © Ĩ ó • Ũ š ê • • Ũ š h z

4 h v2

* 端口类型

Access

* VLAN ID

317

^ 高级设置

MAC地址通告

☒ 开启

防环路

开启

风暴抑制开关

☐ 单播
☐ 多播
☐ 广播

端口隔离开关

☐ 开启

关闭

确定

£ 5 % Í F å

4.1

Î)¾) J â°A E Ñ°Z SF2920 y SF2920U k ¿ SF2920U — Õ û Ô:k CS x³
 RGOS ©İk•B /'ò# 'J MQTT #' g³ U ©ç© CWMP #'h knÿC #'Â9 TCP k f Î
 % " K 9 G b / Æ f %°ku 4 x No•¶ é 'to• ž * ' ^ k # ' • % k + F ^ F å } L zož â° 2.0
 2920U ©çA E Ñ©F å ¿ viò y

STEP 1 y â° — Õ e k G DHCP ¬ L k R DHCP Server B H ñ%² o¬ 'ò IPo-kw R •< DHCP
 Option 225 † ä MQTT Æ ~ª - g/ 3.4.1 - — Õ G DHCP F å h k ¥ Option k`
 k INC ©F å ö œ ož

STEP 2 y â° — Õ † ä MQTT Æ ~ IP e G Ü N¬ L k w Æ f , ¼ Ê k Æ f è e INC €

broker k > NCÆ f è f îož

STEP 3 yâ°—Œ* MQTT #'g INC G Ü ċ Ĥ L k ċ `k ĩ SN Ao•IP^a-[^]¼ p'îož

STEP 4 y INC Æ ~vñâ°—Œ N Ĥ L e k Ž U ċ g A ; k G F åož

STEP 5 yâ°—Œ N v F å e 1 Mok Moe M • INC Æ ~•y Nw 4 Ò 't k 4 ž INC

k}L—Œ n F å † ^ g û à k * e ... ċ i è k 4 e â°—Œ? 2 ã U k g INC G %²)

't †ož

4.2 /

â°Nµ—Œ" MQTT Ĥ L g³ U ©ç© CWMP †hy'tž LLDP 'Î

g û M ü > D C € M 'Îh INC Æ ~ož

STEP 1 y¢—Œ G ŷ Á E ž k >—Œ û ċ N ñ •—Œ k •—Œ k v □ LLDP 'Îkw 1 ¥ 'Î*

MQTT †G Ě Æ ~z

STEP 2 yvñ A E Ñ † e k INC Æ ~ y ño Ĥ M ü € M + M ü mac+—Œ SN 'Îg ¥ ¾ J

•—Œ SN ho-ç ¼ © G ŷ 4 J k 4 ž Æ ~é •—Œ G ŷ Á E z

STEP 3 y•÷ g Á E v i g h p y Æ ~¹'“£ Ĥ } Ä >—Œ “£ h k •—Œ k c 5 >—Œ

F å k •—Œ ¹'“£ k 1 >—Œ ¹'“£ ~\$ z

{ž—Œ N Ä Ä € k 1 ċ û ċ # ß w N ñ •—Œ g •—Œ U Y © Ì ċ ¶ •—

Œo•-U Y ©]¹'—Œ h k "•—Œ Á E è e k 1 {ž—Œ Ä € •—Œ g `p³°M Ä €

h k € M F å Ü š \$ g z

STEP 1 y™ o g k INC Æ ~k J □ /“£ ¶ à â°° A E Ñ 'b Ĥ MAC^a- + ñ K—Œ

+ ñ K € Mo- k w 1 ċ € M F å ¼ û z

STEP 2 y G ŷ—Œ Á E e k ¢]t“£ MAC^a- ß è "•—Œ € M ž k INC Æ ~k 1 ¥

